

Effect of different immersion times and sintering temperatures on translucency of monolithic nanocrystalline zirconia

Ashraf Hussien, Hesham Sabet, M. Wahsh, T. Salah

Abstract

Purpose

The objective of the study was to investigate the effect of different immersion times, in coloring liquid, and sintering temperatures on translucency of monolithic nanocrystalline zirconia.

Materials and methods

Forty five specimens of nanocrystalline zirconia were obtained by cutting InCoris TZI blocks into slices using a stainless steel disc mounted on a custom made milling machine. The slices were divided into three groups (n = 15) according to immersion times (3, 5 and 7 min) then each group was further subdivided into 3 subgroups (n = 5) according to the sintering temperatures (3622°C, 3722°C and 3822°C). CIE-Lab coordinates were measured for each slice against black and white backgrounds using Vita easy shade spectrophotometer and translucency parameter (TP) was calculated. One way analysis of variance combined with a Tukey-post hoc test were used to analyze the data obtained (P = 0.05).

Results

Results of the present study showed that at temperature 3622°C there was statistically significant decrease in TP between 7 min immersion time and the other two groups, while there was no statistically significant difference in TP using different immersion times at temperatures 3722°C and 3822°C.

Conclusion

Our results showed that the best translucency was obtained by the combination between lower dipping times and higher sintering holding temperatures.

Future Dental Journal 2018, June