

Nanostructured lipid carriers as semisolid topical delivery formulations for diflucortolone valerate.

Seham Elkheshen, HUSSEIN OSMAN HASSAN AMAR, Azza Ahmed, Fatma S. Abdel-Salam

Abstract

Context: Topical treatment of skin disease needs to be strategic to ensure high drug concentration in the skin with minimum systemic absorption.

Objective: The aim of this study was to produce semisolid nanostructured lipid carrier (NLC) formulations, for topical delivery of the corticosteroid drug, diflucortolone valerate (DFV), with minimum systemic absorption.

Method: NLC formulations were developed using a high shear homogenization method. Capryol 80, Span 80, and Polysorbate 80 were used as surfactants. The present study addresses the influence of different formulations composition as solid lipid, liquid lipid types and concentrations on the physicochemical properties and drug release profile from NLCs.

Results and discussion: DFV-loaded NLC formulations possessed average particle size ranging from 160.40 nm to 743.7 nm. The encapsulation efficiency was improved by adding the lipid-based surfactants (Span 80, Polysorbate 80, and Polysorbate 80) to reach 68%. The drug release from the investigated NLC formulations showed a prolonged release up to 12 h. In vitro dermatopharmacokinetic study revealed an improvement in drug deposition in the skin with the optimized DFV-loaded NLC formulation, in contrast to a commercial formulation.

Conclusion: NLC provides a promising nanocarrier system that work as reservoir for targeting topical delivery of DFV.

Journal of Liposome and Research 2017, January