

Proniosomes as Nano-Carrier for Transdermal Delivery of Atenolol Niosomal Gel

Mona El Assal ,Mona Ibrahim Abdel Tawab Ahmed El-Assal

Abstract

Objective of the study is to prepare Proniosomes that refers to a flexible vesicular carrier with the potential for drug administration through the transdermal route. Method: Proniosomes were prepared by the coacervation-phase separation technique. The prepared formulations were evaluated for vesicle size, entrapment efficiency. The optimal proniosomes formula (A8) was prepared with different aqueous phase, incorporated in a gel base and studied for pH, viscosity, spreadability, stability, in vitro drug release and ex vivo permeation. Results: Niosomes formulations prepared with Span 40 and 60 have spherical and smaller Nano size. The formula prepared with distilled water was 62.11 to 92.38. Rheological behavior showed combined shear thinning and thixotropic and gel was spreadable. Tested formulations were stable on cooling (4-8 °C). In vitro drug release followed zero order kinetic, and gave sustained release. Release rate was significantly higher across cellulose membrane compared with rate skin. Amount of drug obtained after 24 hours the proniosomal gel formulations were found through the acceptable range of vascular size and entrapment efficiency. Formulation A8 has been selected as an optimized therapeutic system of atenolol.

International Journal of Drug Delivery Technology 2017, December